

CBSE Class 9 Mathematics
NCERT Solutions
CHAPTER 1
Number Systems(Ex. 1.6)

1. Find: (i) $64^{\frac{1}{2}}$ (ii) $32^{\frac{1}{5}}$ (iii) $125^{\frac{1}{3}}$

Ans. (i) $64^{\frac{1}{2}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

We conclude that $64^{\frac{1}{2}}$ can also be written as $\sqrt[2]{64} = \sqrt[2]{8 \times 8}$

$$\sqrt[2]{64} = \sqrt[2]{8 \times 8} = 8.$$

Therefore, the value of $64^{\frac{1}{2}}$ will be 8.

(ii) $32^{\frac{1}{5}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

We conclude that $32^{\frac{1}{5}}$ can also be written as $\sqrt[5]{32} = \sqrt[5]{2 \times 2 \times 2 \times 2 \times 2}$

$$\sqrt[5]{32} = \sqrt[5]{2 \times 2 \times 2 \times 2 \times 2} = 2$$

Therefore, the value of $32^{\frac{1}{5}}$ will be 2.

(iii) $125^{\frac{1}{3}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

We conclude that $125^{\frac{1}{3}}$ can also be written as $\sqrt[3]{125} = \sqrt[3]{5 \times 5 \times 5}$

$$\sqrt[3]{125} = \sqrt[3]{5 \times 5 \times 5} = 5$$

Therefore, the value of $125^{\frac{1}{3}}$ will be 5.

2. Find: (i) $9^{\frac{3}{2}}$ (ii) $32^{\frac{2}{5}}$ (iii) $16^{\frac{3}{4}}$ (iv) $125^{\frac{-1}{3}}$

Ans. (i) $9^{\frac{3}{2}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

We conclude that $9^{\frac{3}{2}}$ can also be written as $\sqrt[2]{(9)^3} = \sqrt[2]{9 \times 9 \times 9} = \sqrt[2]{3 \times 3 \times 3 \times 3 \times 3 \times 3}$

$$\sqrt[2]{(9)^3} = \sqrt[2]{3 \times 3 \times 3 \times 3 \times 3 \times 3}$$

$$= 3 \times 3 \times 3$$

$$= 27$$

Therefore, the value of $9^{\frac{3}{2}}$ will be 27.

(ii) $32^{\frac{2}{5}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

We conclude that $32^{\frac{2}{5}}$ can also be written as $\sqrt[5]{(32)^2}$

$$= \sqrt[5]{(2 \times 2 \times 2 \times 2 \times 2)(2 \times 2 \times 2 \times 2 \times 2)} = 2 \times 2$$

$$= 4$$

Therefore, the value of $32^{\frac{2}{5}}$ will be 4.

(iii) $16^{\frac{3}{4}}$

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

$$\begin{aligned}\text{We conclude that } 16^{\frac{3}{4}} &\text{ can also be written as } \sqrt[4]{(16)^3} \\ &= \sqrt[4]{(2 \times 2 \times 2 \times 2)(2 \times 2 \times 2 \times 2)(2 \times 2 \times 2 \times 2)} \\ &= 2 \times 2 \times 2 \\ &= 8\end{aligned}$$

Therefore, the value of $16^{\frac{3}{4}}$ will be 8.

(iv) $125^{\frac{-1}{3}}$

We know that $a^{-n} = \frac{1}{a^n}$

We conclude that $125^{\frac{-1}{3}}$ can also be written as $\frac{1}{125^{\frac{1}{3}}}$, or $\left(\frac{1}{125}\right)^{\frac{1}{3}}$.

We know that $a^{\frac{1}{n}} = \sqrt[n]{a}$, where $a > 0$.

$$\begin{aligned}\text{We know that } \left(\frac{1}{125}\right)^{\frac{1}{3}} &\text{ can also be written as } \sqrt[3]{\left(\frac{1}{125}\right)} = \sqrt[3]{\left(\frac{1}{5} \times \frac{1}{5} \times \frac{1}{5}\right)} \\ &= \frac{1}{5}.\end{aligned}$$

Therefore, the value of $125^{\frac{-1}{3}}$ will be $\frac{1}{5}$.

3. Simplify:

(i) $2^{\frac{2}{3}} \cdot 2^{\frac{1}{3}}$

(ii) $\left(\frac{1}{3^3}\right)^7$

(iii) $\frac{11^{\frac{1}{2}}}{11^{\frac{1}{4}}}$

(iv) $7^{\frac{1}{2}} \cdot 8^{\frac{1}{2}}$

Ans. (i) $2^{\frac{2}{3}} \cdot 2^{\frac{1}{3}}$

We know that $a^m \cdot a^n = a^{(m+n)}$.

We can conclude that $2^{\frac{2}{3}} \cdot 2^{\frac{1}{3}} = (2)^{\frac{2}{3} + \frac{1}{3}}$.

$$2^{\frac{2}{3}} \cdot 2^{\frac{1}{3}} = (2)^{\frac{10+3}{15}} = (2)^{\frac{13}{15}}$$

Therefore, the value of $2^{\frac{2}{3}} \cdot 2^{\frac{1}{3}}$ will be $(2)^{\frac{13}{15}}$.

(ii) $\left(\frac{1}{3^3}\right)^7$

We know that $(a^m)^n = a^{mn}$

$$= \frac{1}{3^{3 \times 7}} = \frac{1}{3^{21}} = 3^{-21}$$

We conclude that $\left(\frac{1}{3^3}\right)^7$ can also be written as 3^{-21}

(iii) $\frac{11^{\frac{1}{2}}}{11^{\frac{1}{4}}}$

We know that $\frac{a^m}{a^n} = a^{m-n}$

We conclude that $\frac{11^{\frac{1}{2}}}{11^{\frac{1}{4}}} = 11^{\frac{1}{2}-\frac{1}{4}}$.

$$\frac{11^{\frac{1}{2}}}{11^{\frac{1}{4}}} = 11^{\frac{1}{2}-\frac{1}{4}} = 11^{\frac{2-1}{4}}$$

$$= 11^{\frac{1}{4}}$$

Therefore, the value of $\frac{11^{\frac{1}{2}}}{11^{\frac{1}{4}}}$ will be $11^{\frac{1}{4}}$.

(iv) $7^{\frac{1}{2}} \cdot 8^{\frac{1}{2}}$

We know that $a^m \cdot b^m = (a \times b)^m$.

We can conclude that $7^{\frac{1}{2}} \cdot 8^{\frac{1}{2}} = (7 \times 8)^{\frac{1}{2}}$.

$$7^{\frac{1}{2}} \cdot 8^{\frac{1}{2}} = (7 \times 8)^{\frac{1}{2}} = (56)^{\frac{1}{2}}$$

Therefore, the value of $7^{\frac{1}{2}} \cdot 8^{\frac{1}{2}}$ will be $(56)^{\frac{1}{2}}$.